

Optical Flame Detection Solutions

The Most Versatile Flame Detectors in the World





The Global Leader in Flame Detection



Flame detection is the very essence of the proud legacy at Det-Tronics. Simply stated, Det-Tronics is the leading choice for flame detection around the world because of:

- ▲ Performance—unsurpassed excellence in total coverage, field of view and range
- ▲ Reliability—superior protection of people, products and property
- ▲ Technology—patented signal processing and precision optics support the widest spectrum of applications

Superior Performance and Reliability



Det-Tronics offers advanced flame detection technologies and high-performance solutions that are:

- ▲ Certified SIL 2 Capable for safety compliance
- Performance certified to FM 3260, EN 54 and VNIIPO to respond to a multitude of fuel sources
- ▲ NFPA 72 compliant LON output for safety system integration


Superior Protection

FLAME COVERAGE

Broad field of view and range capabilities

ADVANCED DETECTION •

Detect fires using UV, UVIR, IR or MIR technology



TESTED AND PROVEN

All detectors pass rigorous flame testing, including exposure to multiple fuel sources and at varying ranges, both on and off axis. Skilled engineers also simulate specific applications to ensure uncompromising safety and performance.


- 1 Heated optics for frigid or humid conditions
- 2 Integrated wiring compartment for ease of installation
- 3 Rugged aluminum or stainless steel construction for optimum environmental protection
- 4 Vibration-resistant mounting arm to ensure stability and maximize performance
- Factory-calibrated automatic Optical Integrity (oi®) function to ensure continuous operation
- 6 Integrated data logger for event, time and date stamping



A Proven Choice Around the World



SUPERIOR PERFORMANCE OF THE X3301 MULTISPECTRUM INFRARED FLAME DETECTOR



- ▲ The world's foremost flame detector, approved for the widest range of hydrocarbon fires
- ▲ Performance approved at 81m (265') for a 0.3 x 0.3m (1x1') n-Heptane fire
- Best in class for flame detection coverage and false alarm rejection
- Patented detection algorithms, optics and signal processing ensure reliable performance
- Marine approved for deck installation offshore

Flame Detectors from Det-Tronics



X3302 MULTISPECTRUM INFRARED FLAME DETECTOR

- ▲ Proven technology for fast detection of invisible hydrogen flames and methanol
- ▲ Performance approved at 30.5m (100'), on and off axis, for a 0.76m (30") plume of hydrogen
- ▲ Ideal for hydrogen storage, aerospace, battery rooms, refining and filling stations



X5200 ULTRAVIOLET/INFRARED FLAME DETECTOR

- ▲ Leverages state-of-the-art UV and IR technologies to detect fire
- ▲ High-speed, versatile detector for specialty applications, such as munitions and aerosol filling
- Auxiliary relay offers the flexibility to customize detection, using UV, IR or both



X9800 INFRARED FLAME DETECTOR

- Quick Fire technology for high-speed detection in areas with infrared sources
- ▲ Time Domain Signal Analysis (TDSA) provides superior detection capability while rejecting false alarm sources
- Reliable detector for powder coating, paint spray booths, printing and industrial processes



X2200 ULTRAVIOLET FLAME DETECTOR

- ▲ Ultraviolet sensor and advanced algorithm for rapid detection and false alarm immunity
- ▲ Responds to unusual fire types, such as metal and sulfur
- Superior signal processing meets stringent requirements for ultra high-speed response

Innovative Flame and Safety Solutions



EAGLE QUANTUM PREMIER® (EQP) SAFETY SYSTEM

- ▲ Combines gas and flame detection with extinguishing agent release capability in a single integrated solution
- ▲ Certified SIL 2 Capable
- ▲ NFPA 72 compliant
- ▲ Redundant, fault-tolerant loop reduces installation costs

ACCESSORIES



Stainless Steel Mounting Arm



Mounting Arm





X-Series Weather Shield



Universal Air Shield Assembly



Collar Attachment



Flange Mount



Laser/Aimer Holder



Field of View Limiter/ Weather Shield



Flame Detectors



Inspector Software

Select from Proven Products for Your Safety Needs

PERFORMANCE APPROVE DETECTION RANGE (FM)

n-Heptan 0.3m x 0.3m (1x1 0.3m x 0.3m (1x) Methan Methar Propar

Hydroge 0.76m (3) Black Powde

Jet-0.3m x 0.3m (1x1')

Battery Room

Warehousing

Aerosol Fill

ED	X3301 Multispectrum Infrared	X3302 Multispectrum Infrared	X5200 Ultraviolet/ Infrared	X9800 Infrared	X2200 Ultraviolet
ane (x1')	81m (265')		26m (85')	26m (85')	26m (85')
sel x1')	53m (175')				
nol x1')	46m (150')	21m (70')			
ane 32"/	38m (125')		20m (65')	18m (60')	30.5m (100')
ane 32"/	38m (125')				
gen 30")		30.5m (100')			
der <i>40g</i>			3m (10')	3m (10')	3m (10')
t-A	46m (150')				



Multispectrum



X3302

Multispectrum



X5200 Ultraviolet/

•



X9800 Infrared



X2200 Ultraviolet

DETECTOR APPLICATION

	Infrared	Infrared	
Refinery	A	A	
Platform	A		
Pipeline	A		
Tank Farm	A		
Loading Rack	A		
Petrochemical	A		
FPSO	A		
Marine	A		
Turbine Enclosure	A	A	
Hydrogen		A	
Ammonia			
Electrostatic Paint	A		
Munitions			
Metal			
Printing			
Powder Coating			
Transformer	<u> </u>		

▲ Highly Recommended

Recommended

The Global Leader in Fire and Gas Safety Systems





FlexSonic® Acoustic



X3301 Multispectrum IR Flame Detector



PointWatch Eclipse® IR Combustible Gas Detector



FlexVu[®] Universal Display with GT3000 Toxic Gas Detector



Eagle Quantum Premier® Safety System

92-1068-2.6 (A4)

Corporate Office

6901 West 110th Street Minneapolis, MN 55438 USA www.det-tronics.com

Phone: +1 952.941.5665 Toll-free: +1 800.765.3473 Fax: +1 952.829.8750 det-tronics@det-tronics.com All trademarks are the property of their respective owners. © 2018 Detector Electronics Corporation. All rights reserved.

Det-Tronics is certified to ISO 9001:2008 in all manufacturing processes.

